

**You have Solaris Volume Manager installed on your system and want to create your first metadevices. What initial action must you take?**

- A. Run a command to create the first stat database.
- B. Run a utility to add a license to enable SVM for Solaris 9.
- C. Run a command to initialize the configuration metadevices.
- D. Run the vxinstall utility to initialize the volume manager software for use.
- E. Create a soft partition using the `-s` initialize option with the appropriate command.

**Answer: A**

**Which three name services provide, or can be customized to provide, locale information as used in `/etc/locale` ? (Choose three)**

- A. NIS
- B. NIS+
- C. UNS
- D. DNS
- E. NFS
- F. LDAP

**Answer: A, B, F**

**You have configured a client profile (class) file on a JumpStart server. You boot the JumpStart client, and during the installation process, you notice that the profile file is not installing the client with the configuration intended. You abort the installation and now must modify the profile file on the JumpStart server.**

**Which action can be taken on the server to quickly test the behavior of the modified profile file?**

- A. Run the check script.
- B. Run the `pfinstall` command.
- C. Run the `add_install_client` command.
- D. Run the `modify_install_server` command.

**Answer: B**

**You have edited the `/etc/dfs/dfstab` file and added two new lines on a system which is already functioning as an NFS server.**

**Which command causes these two new resources to be made available?**

- A. `share`
- B. `mount -a`
- C. `mountall`

- D. shareall
- E. showmount -a

**Answer: D**